

Message

From: Moncavage, Carissa [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C95C8A8230CA409E86CF22EC30E1666B-MONCAVAGE,]
Sent: 6/16/2020 9:33:50 PM
To: Thomas, John P. (DDOT) [john.pthomas@dc.gov]
CC: Rhones, Aaron (DDOT) [aaron.rhones@dc.gov]
Subject: RE: SWPPP link for Washington DC Dept of Transportation NOIs

I do have a few questions/comments for your consideration. It's unclear how sectors E and D apply to DCR05J00L and Nonresponsive based on revised scope The SWPPPs for these two sites identify stockpiles of milled asphalt, sand, and sand aggregate but I didn't see anything that indicated the activity associated with these stockpiles. Are these stockpiles stored at the site all the time? How did they/do they get there and what are they used for?

DCR05J00L

1. The ESA section on the NOI lists criterion A but the SWPPP includes a criterion C form. Which ESA criterion applies to this discharge?
2. The Criterion C form included in the SWPPP indicates the discharge goes to Hickey Run, however, the NOI indicates the discharge goes to the Northwest Branch of the Anacostia River. What is the receiving waterbody for this discharge?
3. The USFWS consultation is dated 7/18/2016, according to the USFWS (Chesapeake Bay Ecological Services Field Office) an iPAC evaluation needs to be conducted within the last 90 days of the NOI submission. Please re-evaluate the action area using the USFWS iPAC tool and submit the results to me.

Nonresponsive based on revised scope

Let me know if you have any questions.

Thank you,
Carissa

From: Thomas, John P. (DDOT) <john.pthomas@dc.gov>
Sent: Tuesday, June 16, 2020 11:15 AM
To: Moncavage, Carissa <Moncavage.Carissa@epa.gov>
Cc: Rhones, Aaron (DDOT) <aaron.rhones@dc.gov>
Subject: Re: SWPPP link for Washington DC Dept of Transportation NOIs

Hi Carrissa,


Thanks for the update and yes - you can contact me and Aaron Rhones who is cc'd here so we can be responsive to your needs and questions.

Thanks,

John Thomas
Chief Performance Officer

Office of Director
District Department of Transportation
55 M Street S.E. Suite 300,
Washington, DC 20003

m. 202-213-4170
e. john.pthomas@dc.gov
w. ddot.dc.gov



From: Moncavage, Carissa <Moncavage.Carissa@epa.gov>
Sent: Tuesday, June 16, 2020 9:38 AM
To: Thomas, John P. (DDOT) <john.pthomas@dc.gov>
Cc: Rhones, Aaron (DDOT) <aaron.rhones@dc.gov>
Subject: RE: SWPPP link for Washington DC Dept of Transportation NOIs

CAUTION: This email originated from outside of the DC Government. Do not click on links or open attachments unless you recognize the sender and know that the content is safe. If you believe that this email is suspicious, please forward to phishing@dc.gov for additional analysis by OCTO Security Operations Center (SOC).

Hi John,

I was able to access the SWPPPs for the three sites listed below. Are you the contact person should I have any questions moving forward?

Thanks,
Carissa

Carissa Moncavage
NPDES Permits Section
Clean Water Branch
U.S. EPA Region 3, Water Division
(215) 814-5798
(pronouns: she/her)

From: Thomas, John P. (DDOT) <john.pthomas@dc.gov>
Sent: Monday, June 15, 2020 3:05 PM
To: Moncavage, Carissa <Moncavage.Carissa@epa.gov>
Cc: Rhones, Aaron (DDOT) <aaron.rhones@dc.gov>
Subject: SWPPP link for Washington DC Dept of Transportation NOIs

Hi Carrisa,

Thanks for taking the time to help me today. Here is the link to the folder that contains all three SWPPPs for the District Department of Transportation.

Here are the names of the three NOIs in the system. If you have any issues please let me know ASAP so I can quickly resolve.

1. DDOT W Street and Bridge Maintenance Facility

Nonresponsive based on revised scope

Thanks,

John Thomas
Chief Performance Officer

Office of Director
District Department of Transportation
55 M Street S.E. Suite 300,
Washington, DC 20003

m. 202-213-4170
e. john.pthomas@dc.gov
w. ddot.dc.gov



For the latest information on the District Government's response to COVID-19 (Coronavirus), please visit coronavirus.dc.gov.